





Setting up GedSite
by an Experienced RootsMagic User


Jerry Bryan
12 January 2019














www.gedsite.com


What it does
Example Sites

- Example sites
 - Sandy Gordon (index -> Antoine Babin)
 - Robert Jacobs (index -> Elizabeth Aber, Gatherings and Reunions, Picture Galleries)
 - Holly Kirkpatrick (Huldah Ayers)
 - Brian Turnbull (index -> Caroline Bagley – tag sets and less “muddy” appearance)

- Make a gsfile called rug.gsfile
- Do not yet import a GEDCOM file or create a Web site
- Main.Site Title
- Main.Name

- Create GEDCOM from RM
- Include RM's sentence templates in the GEDCOM
- Include RM's formatting options in the GEDCOM
- Exclude RM's media files from the GEDCOM
- 18 people from my database

- Main.Choose Data File
- Use all the GedSite default values
- File.Make Site
- File.Browse Site



- Themes.Colors, Backgrounds (sharpen background and foreground colors)

`#fff` means `#ffffff`

`#f82` means `#ff8822`

- Person entry.Biography (disable)
- Person entry.BMDB only (disable)
- Person entry.Last Edited (disable)

A few important sentence variables

RM	GedSite
[Date]	[D]
[Person]	[S]
[Place]	[L]
[Desc]	[M.Text]
[Note]	[M.Note]

- Data.Notes.Add Note to Global Sentences
- Data.Notes.Add Note to Local Sentences

- Person entry.Summary.Show ID (disable)
- Utilities.Edit Strings.Current Folder Sites.Gender

- Person entry.Family Sections.Spouses: All Spouses

- Data.Tags (disable Person Source)

THIS WILL BE ON THE TEST!

- Format.Bullets Unlabeled
- Format.Bullets
- Format.Three Columns
- Format.Two Columns
- Format.Narration

- Use Two Column Format for all subsequent examples

Disable GEDCOM sentences and use GedSite Sentences

- Disable Data.Database.Use Global Sentences
- Disable Data.Database.Use Local Sentences

- Format.Tag Sentence
 - Use Tag Sentence
 - Use Tag Sentence or Default
 - Use Default Sentence

- Data.Exhibits